



# IDHAYA COLLEGE FOR WOMEN

(Accredited with 'B' grade by NAAC (CGPA 2.49)  
(Recognized Under Section 2(f) & 12(B) of the UGC ACT 1956)  
(Affiliated to Alagappa University, Karaikudi)

Arockia Nagar, Sarugani - 630 411, Sivaganga Dist.

2020-2021

## STUDENT FEEDBACK

Student Name:

Programme:

Register Number:

### CURRICULUM

1. Rate the depth of syllabus content.

Excellent  Very Good  Good  Average  Poor

2. How do you rate the sequence of units?

Excellent  Very Good  Good  Average  Poor

3. Curriculum fulfilling your expectation

Excellent  Very Good  Good  Average  Poor

4. Curriculum helping in developing your personality

Excellent  Very Good  Good  Average  Poor

5. Curriculum helping in developing your personality

Excellent  Very Good  Good  Average  Poor

### DEPARTMENT & FACULTY MEMBERS

6. The teachers provide the opportunities for the students to learn and grow.

Excellent  Very Good  Good  Average  Poor

7. The teachers encourage the students to participate in extra-curricular and co-curricular activities.

Excellent  Very Good  Good  Average  Poor

8. The assessment and evaluation process is unbiased and fair

Excellent  Very Good  Good  Average  Poor

9. The teachers give regular and timely feedback on the performance of the students

Excellent  Very Good  Good  Average  Poor

10. The teachers are having regular and constant touch with their mentee

Excellent  Very Good  Good  Average  Poor

### **LIBRARY**

11. Existing library rule sand regulation.

Excellent  Very Good  Good  Average  Poor

12. Availability of books ,journals, magazines and newspapers.

Excellent  Very Good  Good  Average  Poor

13. Availability of Xerox facility.

Excellent  Very Good  Good  Average  Poor

14. Cooperation of library staff .

Excellent  Very Good  Good  Average  Poor

15. Environment in the library.

Excellent  Very Good  Good  Average  Poor

### **INFRASTRUCTURE**

16. Ambience provided is friendly for learning environment.

Excellent  Very Good  Good  Average  Poor

17. Pollution free and greenery Campus.

Excellent  Very Good  Good  Average  Poor

18. Plenty of drinking water facility.

Excellent  Very Good  Good  Average  Poor

19. Adequate and well maintained rest rooms.

Excellent  Very Good  Good  Average  Poor

20. Sufficient and satisfactory transport facility

Excellent  Very Good  Good  Average  Poor

**Signature of the Student**